


*It's All about Building a Better Product for Our Clients!*

**J&M Fluidics, Inc.**  
 851 Tech Drive  
 Telford, PA 18969  
**Toll-Free: (888) 539-1731**  
**Fax: 267-203-8786**

**J&M FLUIDICS, INC. – PRODUCT DATA SHEET**

## Model: RRT200

## 200 Gallon Dual Process Tank & Pump Package



### (Polyethylene Tank) Standard Features:

- Open Vented **200 gallon Polyethylene tank**
- 1/2" tank and fluid piping insulation
- Copper & Polypropylene piping
- Fused, **STAINLESS STEEL** evaporator recirculating pump
- Recirculation pump discharge ball valve and cleanable "Y" strainer
- Control box with pump terminal block
- Galvanized steel sheet metal cabinet
- Hinged removable access panels

### Available Options:

- **STAINLESS STEEL SEALED TANK**
- Fused, **STAINLESS STEEL** process pump
- Dual process pump with manual changeover
- Dual process pump with auto changeover
- Pump suction isolation valve
- **Process Pump VFD Controller**
- **Tank fluid sight glass**
- Tank liquid level indicator with dry contacts
- Low flow by-pass valve
- **Water flow meter**
- Auto city water make up solenoid
- 1" tank and piping insulation in lieu of 1/2"
- Seal-tight electrical conduit and connections
- **Painted - Powder Coated**





*It's All about Building a Better Product for Our Clients!*

**J&M Fluidics, Inc.**

851 Tech Drive  
Telford, PA 18969

Toll-Free: (888) 539-1731







Fax: 267-203-8786

# Model: RRT200

## 200 Gallon Dual Process Tank & Pump Package

### Product Dimensional Drawing

© Property of J&M Fluidics, Inc.



- NOTES:  
 1) CONNECTION SIZE  
 200 GAL - 2" FPT  
 300 GAL - 2.5" FPT  
 2) WEIGHT  
 DRY - 975 Lbs.  
 OPERATING - 3225 Lbs.

### Polyethylene Tank & Pump

Tank Model	Length Inches	Width Inches	Height Inches	Water Conn.	Tank Capacity	Recirculation Pump	FLA 230/3Ø	FLA 460/3Ø	Weight Lbs.
RRT200	88	56	60	2" FPT	200 Gallons	3HP	9.4	4.5	445

J&M FLUIDICS, INC. - PRODUCT DATA SHEET